


> Instructions

Thule VeloCompact 924, 925



THULE.COM

EN Tow bar-mounted bike carrier
FR Porte-vélos sur boule d'attelage
ES Portabicicletas de bola de remolque
DE Fahrradträger für die Anhängerkupplung
NL Fietsdrager voor op de trekhaak
PT Suporte para bicicleta para engate
IT Portabici da installare sul gancio da traino
SV Dragkroksmonterad cykelhållare
DK Cykelholder, der er monteret på anhængertræk
NO Hengerfestemonteerte lasteholdere
FI Vetokoukkuun kiinnitettävä polkupyöräteline
IS Hjólagrind á dráttarkúlu
ET Haakekonksule paigaldatav jalgrattahoidik
LV Uz piekabes āķa uzstādāms velosipēdu turētājs
LT Prie gražulo tvirtinami dviračių laikikliai
RU Устанавливаемое на фаркопе крепление для велосипедов
UK Багажник для велосипедів, що монтується на буксирній штанзі
PL Bagażnik rowerowy montowany na haku holowniczym
CS Nosič jízdních kol s montáží na tažné zařízení
HU Vonóhorogra szerelhető kerékpártartó

RO Suport pentru bicicletă montat pe bara de tracțiune
SK Nosič bicyklov s montážou na ťažné zariadenie
SL Prtljažnik za kolesa za na vlečno kljuko
BG Багажник за велосипеди, монтиран на теглича
HR Nosač bicikla koji se postavlja na kuku za vuču
EL Σχάρα ποδηλάτου κοτσαδόρου
TR Çeki demirine bağlanan bisiklet taşıyıcı
MT Pembawa basikal yang dipasang pada bar tunda

HE מנשא אופניים המורכב על הו גריה

AR حامل الدراجة للتثبيت على قضيب القطر

ZH (CN) 拖杆安装式托架


ZH (TW) 拖桿式自行車架

JA トウバーマウント型サイクルキャリア

KO 토우바 장착 자전거 캐리어

TH เครื่องยึดจักรยานแบบติดตั้งกับอุปกรณ์ลากพ่วงท้ายรถ

MS Ġarrier tar-roti immuntat b'virga għall-irmonkar



924001
 924003
 924021



CITY CRASH
 Complies with ISO norm



14,2 kg


925001



CITY CRASH
 Complies with ISO norm




14,1 kg



i




924003
924021





Brink
RMC Towbar



924001
924003
924021
925001





Standard Towbar




D.1



Aluminium
or GGG40




22-80 mm



→ 4




> 65 mm








i




40 kg	 14,2 kg	Max 25,8 kg
50 kg		Max 35,8 kg
60 kg		Max 45,8 kg
>61 kg		Max 46 kg


1




-  x2
-  x2
-  x2
-  x2




2




A



B



C



D

